

Blood & Blood Forming Organs	
C85.90	Non-Hodgkin lymphoma, unspecified, unspecified site
C90.0-	Multiple myeloma
C91.1-	Chronic lymphocytic leukemia of B-cell type
C91.2-	Other lymphoid leukemia, in relapse
C91.9-	Lymphoid leukemia, unspecified
C92.1-	Chronic myeloid leukemia, BCR/ABL-positive
C92.9-	Myeloid leukemia, unspecified
C95.1-	Chronic leukemia of unspecified cell type
C95.9-	Leukemia, unspecified
	<i>For categories C90-C95 add a 5th character: 0=not having achieved remission, 1=in remission, 2=in relapse</i>
C96.9	Malignant neoplasm of lymphoid, hematopoietic and related tissue, unspecified
D45	Polycythemia vera
D47.1	Chronic myeloproliferative disease
D47.3	Essential (hemorrhagic) thrombocythemia
D47.4	Osteomyelofibrosis
D57.1	Sickle cell disease without crisis
E55.9	Vitamin D deficiency, unspecified
Anemia:	
D50.0	Iron deficiency anemia secondary to blood loss (chronic)
D50.9	Iron deficiency anemia, unspecified
D51.0	Vitamin B12 deficiency anemia due to intrinsic factor deficiency (pernicious anemia)
D59.1-+	Other autoimmune hemolytic anemias
	<i>Add 5th character: 0=unspecified, 1=warm, 2=cold, 3=mixed type, 9=other</i>
D59.9	Acquired hemolytic anemia, unspecified
D61.9	Aplastic anemia, unspecified
D61.818	Other pancytopenia
D63.1	Anemia in chronic kidney disease (CKD)
	<i>Code first underlying CKD (N18.-)</i>
D64.0	Hereditary sideroblastic anemia
D64.1	Secondary sideroblastic anemia due to disease
	<i>Code first underlying disease</i>
D64.2	Secondary sideroblastic anemia due to drugs and toxins
	<i>Code first poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6); Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)</i>
D64.3	Other sideroblastic anemias
D64.9	Anemia, unspecified
D69.6	Thrombocytopenia, unspecified
D70.9	Neutropenia, unspecified
D75.82	Heparin induced thrombocytopenia (HIT)
Circulatory System	
Arrhythmias:	
I25.5	Ischemic cardiomyopathy
I27.89	Other specified pulmonary heart diseases
I42.6	Alcoholic cardiomyopathy
	<i>Code also presence of alcoholism (F10.-)</i>
I42.8	Other cardiomyopathies
I42.9	Cardiomyopathy, unspecified
I44.2	Atrioventricular block, complete
I47.1	Supraventricular tachycardia
I47.2	Ventricular tachycardia
I47.9	Paroxysmal tachycardia, unspecified
I48.-	Atrial fibrillation and flutter
	<i>Add 4th and/or 5th character(s): 0=paroxysmal atrial fibrillation, 11=longstanding persistent atrial fibrillation, 19=other persistent atrial fibrillation, 20=chronic atrial fibrillation, unspecified, 21=permanent atrial fibrillation, 3=typical (type 1) atrial flutter, 4=atypical (type 2) atrial flutter, 91=unspecified atrial fibrillation, 92=unspecified atrial flutter</i>
I49.01	Ventricular fibrillation
I49.02	Ventricular flutter
I49.1	Atrial premature depolarization
I49.40	Unspecified premature depolarization
I49.49	Other premature depolarization
I49.5	Sick sinus syndrome
I49.8	Other specified cardiac arrhythmias
I49.9	Cardiac arrhythmia, unspecified
I51.4	Myocarditis, unspecified
I51.9	Heart disease, unspecified (ventricular dysfunction)
M30.0	Polyarteritis nodosa
Arteriosclerosis/Atherosclerosis:	
I20.9	Angina pectoris, unspecified
I25.10	Atherosclerotic heart disease of native coronary artery without angina pectoris
I25.119	Atherosclerotic heart disease of native coronary artery with unspecified angina pectoris
I25.2	Old myocardial infarction (healed MI)
I25.9	Chronic ischemic heart disease, unspecified
I27.9	Pulmonary heart disease, unspecified
I65.2-	Occlusion and stenosis of carotid artery
	<i>Add 5th character: 1=right, 2=left, 3=bilateral, 9=unspecified</i>
I67.2	Cerebral atherosclerosis
I67.81	Acute cerebrovascular insufficiency
I67.82	Cerebral ischemia
I67.89	Other cerebrovascular disease
I70.-	Atherosclerosis
	<i>Use additional code to identify: exposure to environmental tobacco smoke (Z77.22), history of tobacco dependence (Z87.891), occupational exposure to environmental tobacco smoke (Z57.31), tobacco dependence (F17.-), tobacco use (Z72.0)</i>
I70.0	Atherosclerosis of aorta
I70.1	Atherosclerosis of renal artery
I70.2-	Atherosclerosis of native arteries of the extremities

	<i>Add 5th character: 0=unspecified, 1=intermittent claudication, 2=rest pain, 6=gangrene, 9=other; Add 6th character: 1=right leg, 2=left leg, 3=bilateral, 8=other extremity, 9=unspecified extremity</i>
I70.23-	Atherosclerosis of native arteries of the right leg with ulceration
	<i>Use additional code to identify severity of ulcer (L97.-)</i>
	<i>Add 6th character: 1=thigh, 2=calf, 3=ankle, 4=heel and midfoot, 5=other part of foot, 8=other part of lower leg, 9=unspecified site</i>
I70.24-	Atherosclerosis of native arteries of the left leg with ulceration
	<i>Use additional code to identify severity of ulcer (L97.-)</i>
	<i>Add 6th character: 1=thigh, 2=calf, 3=ankle, 4=heel and midfoot, 5=other part of foot, 8=other part of lower leg, 9=unspecified site</i>
I70.25	Atherosclerosis of native arteries of other extremities with ulceration
	<i>Use additional code to identify severity of ulcer (L98.49-)</i>
I70.30-	Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities
	<i>Add 6th character: 1=right leg, 2=left leg, 3=bilateral, 8=other extremity, 9=unspecified extremity</i>
I70.92	Chronic total occlusion of artery of the extremities
	<i>Code first atherosclerosis of arteries of the extremities (I70.2-, I70.3-, I70.4-, I70.5-, I70.6-, I70.7-)</i>
I70.8	Atherosclerosis of other arteries
I70.90	Unspecified atherosclerosis
I70.91	Generalized atherosclerosis
I73.9	Peripheral vascular disease, unspecified (intermittent claudication)
Heart Failure:	
I50.-	Heart failure
	<i>Code first: heart failure due to hypertension (I11.0), heart failure due to hypertension with chronic kidney disease (I13.-), heart failure following surgery (I97.13-) or rheumatic heart failure (I09.81)</i>
	<i>Add 5th character or 6th character to I50.2-, I50.3-, I50.81-: 0=unspecified, 1=acute, 2=chronic, 3=acute on chronic</i>
I50.1	Left ventricular heart failure, unspecified
I50.2-	Systolic (congestive) heart failure
I50.3-	Diastolic (congestive) heart failure
I50.81-	Right heart failure
I50.82	Biventricular heart failure
I50.83	High output heart failure
I50.84	End stage heart failure
I50.89	Other heart failure
I50.9	Heart failure, unspecified (CHF)
Hypertensive Disease:	
	<i>Use additional code to identify: exposure to environmental tobacco smoke (Z77.22), history of tobacco dependence (Z87.891), occupational exposure to environmental tobacco smoke (Z57.31), tobacco dependence (F17.-), tobacco use (Z72.0)</i>
I10	Essential (primary) hypertension
	<i>Categories I11, I12 and I13: Use additional code to identify the stage of CKD (N18.1-N18.6) and/or the type of heart failure (I50.-) if applicable</i>
I11.9	Hypertensive heart disease without heart failure
I11.0	Hypertensive heart disease with heart failure
I12.0	Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal disease
I12.9	Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease
I13.0	Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease
I13.10	Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease
I13.11	Hypertensive heart and chronic kidney disease without heart failure, with stage 5 chronic kidney disease, or end stage renal disease
I13.2	Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease
Sequelae (Late Effects) of Stroke:	
I69.328	Other speech and language deficits following cerebral infarction
I69.339	Monoplegia of upper limb following cerebral infarction affecting unspecified side
I69.349	Monoplegia of lower limb following cerebral infarction affecting unspecified side
I69.359	Hemiplegia and hemiparesis following cerebral infarction affecting unspecified side
I69.398	Other sequelae of other cerebral infarction
	<i>Use additional code to identify the sequelae</i>
I69.959	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting unspecified side
I69.939	Monoplegia of upper limb following unspecified cerebrovascular disease affecting unspecified side
I69.949	Monoplegia of lower limb following unspecified cerebrovascular disease affecting unspecified side
I71.9	Aortic aneurysm of unspecified site, without rupture
Digestive System	
Cirrhosis:	
	<i>Category K70: Use additional code to identify alcohol abuse and dependence (F10.-)</i>
K70.30	Alcoholic cirrhosis of liver without ascites
K70.9	Alcoholic liver disease, unspecified
	<i>Category K74: Code also, if applicable, viral hepatitis (acute) (chronic) (B15-B19)</i>
K74.0	Hepatic fibrosis
K74.60	Unspecified cirrhosis of liver
K74.69	Other cirrhosis of liver
K75.81	Nonalcoholic steatohepatitis (NASH)
K76.0	Fatty (change of) liver, not elsewhere classified
K76.89	Other specified diseases of liver
Hepatitis:	
B18.1	Chronic viral hepatitis B without delta-agent

B18.2	Chronic viral hepatitis C
K70.10	Alcoholic hepatitis without ascites
	<i>Use additional code to identify: alcohol abuse and dependence (F10.-)</i>
K72.90	Hepatic failure, unspecified without coma
K73.0	Chronic persistent hepatitis, not elsewhere classified
K73.2	Chronic active hepatitis, not elsewhere classified
K73.8	Other chronic hepatitis, not elsewhere classified
K73.9	Chronic hepatitis, unspecified
K75.4	Autoimmune hepatitis
K75.9	Inflammatory liver disease, unspecified (hepatitis NOS)
Inflammatory Bowel Disease:	
K50.-	Crohn's disease [regional enteritis]
	<i>Use additional code to identify manifestations, such as pyoderma gangrenosum (L88)</i>
	<i>Add 4th character: 0=small intestine, 1=large intestine, 8=both large & small intestine, 9=unspecified; Add 5th character: 0=without complications, 1=with complications; Add 6th character to report complication: 1=rectal bleeding, 2=intestinal obstruction, 3=fistula, 4=abscess, 8=other complication, 9=unspecified complications</i>
K50.90	Crohn's disease, unspecified, without complications
K51.-	Ulcerative colitis
	<i>Use additional code to identify manifestations, such as: pyoderma gangrenosum (L88)</i>
	<i>Add 4th character: 0=pancolitis, 2=proctitis, 3=rectosigmoiditis, 4=inflammatory polyps of colon, 5=left sided colitis, 8=other, 9=unspecified; Add 5th character: 0=without complications, 1=with complications; Add 6th character to the following codes: K51.01-, K51.21-, K51.31-, K51.41-, K51.51-, K51.81-, K51.91- to report complication: 1=rectal bleeding, 2=intestinal obstruction, 3=fistula, 4=abscess, 8=other, 9=unspecified</i>
K51.90	Ulcerative colitis, unspecified, without complications
K52.89	Other specified noninfective gastroenteritis and colitis
K52.9	Noninfective gastroenteritis and colitis, unspecified
K55.1	Chronic vascular disorders of intestine
Other Digestive Conditions:	
K56.41	Fecal impaction
K56.49	Other impaction of intestine
K76.6	Portal hypertension
K90.2	Blind loop syndrome, not elsewhere classified
K90.0	Celiac disease
Pancreatitis:	
K85.90	Acute pancreatitis without necrosis or infection, unspecified
K86.0	Alcohol-induced chronic pancreatitis
	<i>Use additional code to identify alcohol abuse and dependence (F10.-)</i>
	<i>Code also exocrine pancreatic insufficiency (K86.81)</i>
K86.1	Other chronic pancreatitis
Endocrine System	
Diabetes Mellitus (DM):	
	<i>Assign as many codes from categories E08 – E13 as needed to identify all of the associated conditions that the patient has</i>
E10.-	Type 1 diabetes mellitus
E10.1-	Type 1 diabetes mellitus with ketoacidosis
	<i>Add 5th character: 0=without coma, 1= with coma</i>
E10.2-	Type 1 diabetes mellitus with kidney complication
	<i>Add 5th character: 1=diabetic nephropathy, 2=diabetic chronic kidney disease, 3=other diabetic kidney complication</i>
E10.3-	Type 1 diabetes mellitus with ophthalmic complication
	<i>Add 5th and 6th characters: identify laterality, if needed: 11=unspecified diabetic retinopathy with macular edema, 19=unspecified diabetic retinopathy without macular edema, 21=mild nonproliferative diabetic retinopathy with macular edema, 29=mild nonproliferative diabetic retinopathy without macular edema, 31=moderate nonproliferative diabetic retinopathy with macular edema, 39=moderate nonproliferative diabetic retinopathy without macular edema, 41=severe nonproliferative diabetic retinopathy with macular edema, 49=severe nonproliferative diabetic retinopathy without macular edema, 51=proliferative diabetic retinopathy with macular edema, 52=proliferative diabetic retinopathy with traction retinal detachment involving the macula, 53=proliferative diabetic retinopathy with traction retinal detachment not involving the macula, 54=proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, 55=stable proliferative diabetic retinopathy, 59=proliferative diabetic retinopathy without macular edema, 6=diabetic cataract, 7=diabetic macular edema, resolved following treatment, 9=other diabetic ophthalmic complication</i>
E10.4-	Type 1 diabetes mellitus with neurological complication
	<i>Add 5th character: 0=diabetic neuropathy, unspecified, 1=diabetic mononeuropathy, 2=diabetic polyneuropathy, 3=diabetic autonomic (poly) neuropathy, 4=diabetic amyotrophy, 9=other diabetic neurological complication</i>
E10.5-	Type 1 diabetes mellitus with circulatory complication
	<i>Add 5th character: 1=diabetic peripheral angiopathy without gangrene, 2=diabetic peripheral angiopathy with gangrene, 9=other diabetic circulatory complications</i>
E10.6-	Type 1 diabetes mellitus with other specified complications
	<i>Add 5th character: 10=diabetic neuropathic arthropathy, 18=other diabetic arthropathy, 20=diabetic dermatitis, 21=foot ulcer (Use additional code to identify site of ulcer (L97.4-, L97.5-)), 22=other skin ulcer, (Use additional code to identify site of ulcer (L97.1 – L97.9-, L98.41 – L98.49-)), 28=other skin complications, 30=periodontal disease, 38=other oral complications, 41=hypoglycemia with coma, 49=hypoglycemia without coma, 5=hyperglycemia, 9=other specified complication (Use additional code to identify complication)</i>
E10.8	Type 1 diabetes mellitus with unspecified complications
E10.9	Type 1 diabetes mellitus without complications

E11.-	Type 2 diabetes mellitus
	<i>Use additional code to identify control using: insulin (Z79.4); oral antidiabetic drugs (Z79.84); oral antidiabetic drugs (Z79.84); oral hypoglycemic drugs (Z79.84)</i>
E11.00	Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)
E11.01	Type 2 diabetes mellitus with hyperosmolarity with coma
E11.21	Type 2 diabetes mellitus with diabetic nephropathy
E11.22	Type 2 diabetes mellitus with diabetic chronic kidney disease
	<i>Use additional code to identify stage of chronic kidney disease (N18.1-N18.6)</i>
E11.29	Type 2 diabetes mellitus with other diabetic kidney complication
E11.3-	Type 2 diabetes mellitus with ophthalmic complications
	<i>Add 7th character to the following codes: E11.32-, E11.33-, E11.34-, E11.35- and E11.37- 1=right, 2=left, 3=bilateral, 9=unspecified</i>
E11.311	Type 2 diabetes with unspecified diabetic retinopathy with macular edema
E11.319	Type 2 diabetes with unspecified diabetic retinopathy without macular edema
E11.351-	Type 2 diabetes with proliferative diabetic retinopathy with macular edema
E11.352-	Type 2 diabetes with proliferative diabetic retinopathy with traction retinal detachment involving the macula
E11.353-	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula
E11.354-	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment
E11.355-	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy
E11.359-	Type 2 diabetes with proliferative diabetic retinopathy without macular edema
E11.321-	Type 2 diabetes with mild non-proliferative diabetic retinopathy with macular edema
E11.329-	Type 2 diabetes with mild non-proliferative diabetic retinopathy without macular edema
E11.331-	Type 2 diabetes with moderate non-proliferative diabetic retinopathy with macular edema
E11.339-	Type 2 diabetes with moderate non-proliferative diabetic retinopathy without macular edema
E11.341-	Type 2 diabetes with severe non-proliferative diabetic retinopathy with macular edema
E11.349-	Type 2 diabetes with severe non-proliferative diabetic retinopathy without macular edema
E11.36	Type 2 diabetes mellitus with diabetic cataract
E11.37-	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment
E11.39	Type 2 diabetes mellitus with other diabetic ophthalmic complication
	<i>Use additional code to identify manifestation, such as: diabetic glaucoma (H40-H42)</i>
E11.40	Type 2 diabetes mellitus with diabetic neuropathy, unspecified
E11.41	Type 2 diabetes mellitus with diabetic mononeuropathy
E11.42	Type 2 diabetes mellitus with diabetic polyneuropathy
E11.43	Type 2 diabetes mellitus with diabetic autonomic (poly) neuropathy
E11.44	Type 2 diabetes mellitus with diabetic amyotrophy
E11.49	Type 2 diabetes mellitus with other diabetic neurological complication
E11.51	Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene
E11.52	Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene
E11.59	Type 2 diabetes mellitus with other circulatory complications
E11.610	Type 2 diabetes mellitus with diabetic neuropathic arthropathy
E11.618	Type 2 diabetes mellitus with other diabetic arthropathy
E11.620	Type 2 diabetes mellitus with diabetic dermatitis
E11.621	Type 2 diabetes mellitus with foot ulcer
	<i>Use additional code to identify site of ulcer (L97.4-, L97.5-)</i>
E11.622	Type 2 diabetes mellitus with other skin ulcer
	<i>Use additional code to identify site of ulcer (L97.1- - L97.9-, L98.41- - L98.49-)</i>
E11.628	Type 2 diabetes mellitus with other skin complications
E11.630	Type 2 diabetes mellitus with periodontal disease
E11.638	Type 2 diabetes mellitus with other oral complications
E11.641	Type 2 diabetes mellitus with hypoglycemia with coma
E11.649	Type 2 diabetes mellitus with hypoglycemia without coma
E11.65	Type 2 diabetes mellitus with hyperglycemia
E11.69	Type 2 diabetes mellitus with other specified complication
	<i>Use additional code to identify complication</i>
E11.8	Type 2 diabetes mellitus with unspecified complications
E11.9	Type 2 diabetes mellitus without complications
Immunity/Metabolic/Nutritional/Thyroid	
E20.9	Hypoparathyroidism, unspecified
E21.0	Primary hyperparathyroidism
E21.1	Secondary hyperparathyroidism, NEC
E21.2	Other (tertiary) hyperparathyroidism
E21.3	Hyperparathyroidism, unspecified
E44.0	Moderate protein-calorie malnutrition
E44.1	Mild protein-calorie malnutrition
E45	Retarded development following protein-calorie malnutrition
E46	Unspecified protein-calorie malnutrition
E84.0	Cystic fibrosis with pulmonary manifestations
Overweight & Obesity:	
	<i>Use additional code to identify body mass index (BMI), if known (Z68.-)</i>
E66.01	Morbid (severe) obesity due to excess calories
E66.09	Other obesity due to excess calories
E66.1	Drug-induced obesity
	<i>Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)</i>
E66.2	Morbid (severe) obesity with alveolar hypoventilation
E66.3	Overweight
E66.8	Other obesity
E66.9	Obesity, unspecified
Immunodeficiencies:	
D84.8- +	Other specified immunodeficiencies

	<i>Add 5th and 6th character: 1=due to conditions classified elsewhere, 21=due to drugs, 22=due to external causes, 9=other</i> <i>Code underlying conditions, adverse effect, long term (current) drug therapy, external cause or radiological procedure and radiotherapy, if applicable.</i>
D84.9	Immunodeficiency, unspecified
Genitourinary System	
N17.1	Acute kidney failure with acute cortical necrosis
	<i>Code also associated underlying condition</i>
N15.9	Renal tubulo-interstitial disease, unspecified (infection of kidney NOS)
Chronic Kidney Disease:	
	<i>For category N18: Code first any associated: diabetic chronic kidney disease (E08.22, E09.22, E10.22, E11.22, E13.22), hypertensive chronic kidney disease (I12-, I13.-) Use additional code to identify kidney transplant status, if applicable, (Z94.0)</i>
N18.1	Chronic kidney disease, stage 1
N18.2	Chronic kidney disease, stage 2 (mild)
N18.3- +	Chronic kidney disease, stage 3 (moderate)
	<i>Add 5th character: 0=unspecified, 1=stage 3a, 2=stage 3b</i>
N18.4	Chronic kidney disease, stage 4 (severe)
N18.5	Chronic kidney disease, stage 5
N18.6	End stage renal disease
	<i>Use additional code to identify dialysis status (Z99.2)</i>
N19	Unspecified kidney failure (uremia NOS)
N25.81	Secondary hyperparathyroidism of renal origin
N28.9	Disorder of kidney and ureter, unspecified (nephropathy NOS, renal disease (acute) NOS, renal insufficiency (acute))
Infectious & Parasitic Disease	
A07.1	Giardiasis [lambliasis]
A07.2	Cryptosporidiosis
A07.4	Cyclosporiasis
A15.0	Tuberculosis of lung
R76.11	Non-specific reaction to tuberculin skin test without active tuberculosis (PPD positive)
A49.02	Methicillin resistant Staphylococcus aureus infection, unspecified site (MRSA)
B20	Human immunodeficiency virus [HIV] disease
	<i>Use additional code(s) to identify all manifestations of HIV infection</i>
Z21	Asymptomatic human immunodeficiency virus [HIV] infection status
B02.9	Zoster without complications
B15.9	Hepatitis A without hepatic coma
B17.2	Acute hepatitis E
B17.9	Acute viral hepatitis, unspecified
B18.9	Chronic viral hepatitis, unspecified
B19.9	Unspecified viral hepatitis without hepatic coma
U07.1 +	COVID-19 (2019-nCoV) acute respiratory disease
Vector-Borne Transmission:	
B55.9	Leishmaniasis, unspecified
A54.00	Gonococcal infection of lower genitourinary tract, unspecified
A54.29	Other gonococcal genitourinary infections
A69.20	Lyme disease, unspecified
A74.9	Chlamydial infection, unspecified
Mental Disorders	
Dementia:	
F01.50	Vascular dementia without behavioral disturbance
	<i>Code first the underlying physiological condition or sequelae of cerebrovascular disease</i>
F01.51	Vascular dementia with behavioral disturbance
	<i>Code first any underlying physiological condition or sequelae of cerebrovascular disease. Use additional code, if applicable, to identify wandering in vascular dementia (Z91.83)</i>
F02.80	Dementia in other diseases classified elsewhere without behavioral disturbance
	<i>Code first the underlying physiological condition, such as: Alzheimer's (G30.-), dementia with Lewy bodies (G31.83), frontotemporal dementia (G31.09), multiple sclerosis (G35), Parkinson's disease (G20), etc.</i>
F02.81	Dementia in other diseases classified elsewhere with behavioral disturbance
	<i>Code first any underlying physiological condition (see above). Use additional code, if applicable, to identify wandering in dementia in conditions classified elsewhere (Z91.83)</i>
F03.90	Unspecified dementia without behavioral disturbance
F03.91	Unspecified dementia with behavioral disturbance
	<i>Use additional code, if applicable, to identify wandering in unspecified dementia (Z91.83)</i>
Schizophrenia:	
F20.0	Paranoid schizophrenia
F20.1	Disorganized schizophrenia
F20.2	Catatonic schizophrenia
F20.3	Undifferentiated schizophrenia
F20.5	Residual schizophrenia
F20.81	Schizophreniform disorder
F20.89	Other schizophrenia
F20.9	Schizophrenia, unspecified
Major Depressive Disorder (MDD):	
F32.0	Major depressive disorder, single episode, mild
F32.1	Major depressive disorder, single episode, moderate
F32.2	Major depressive disorder, single episode, severe without psychotic features
F32.3	Major depressive disorder, single episode, severe with psychotic features
F32.4	Major depressive disorder, single episode, in partial remission
F32.5	Major depressive disorder, single episode, in full remission
F32.89	Other depressive episodes
F32.9	Major depressive disorder, single episode, unspecified
F33.0	Major depressive disorder, recurrent, mild
F33.1	Major depressive disorder, recurrent, moderate
F33.2	Major depressive disorder, recurrent, severe without psychotic features
F33.3	Major depressive disorder, recurrent, severe with psychotic features
F33.4-	Major depressive disorder, recurrent, in remission
	<i>Add 5th character: 0=unspecified remission, 1=partial remission, 2=full remission</i>
F33.8	Other recurrent depressive disorders
F33.9	Major depressive disorder, recurrent, unspecified
F39	Unspecified mood [affective] disorder
Z13.31	Encounter for screening for depression

Bipolar Disorder:	
F31.0	Bipolar disorder, current episode hypomanic
F31.1-	Bipolar disorder, current episode manic without psychotic features
	<i>Add 5th character: 0=unspecified, 1=mild, 2=moderate, 3=severe</i>
F31.2	Bipolar disorder, current episode manic severe with psychotic features
F31.3-	Bipolar disorder, current episode depressed, mild or moderate severity
	<i>Add 5th character: 0=unspecified, 1=mild, 2=moderate</i>
F31.4	Bipolar disorder, current episode depressed, severe, without psychotic features
F31.5	Bipolar disorder, current episode depressed, severe, with psychotic features
F31.6-	Bipolar disorder, current episode mixed
	<i>Add 5th character: 0=unspecified, 1=mild, 2=moderate, 3=severe, without psychotic features, 4=severe, with psychotic features</i>
F31.7-	Bipolar disorder, currently in remission
	<i>Add 5th character: 0=unspecified, 1=partial remission hypomanic, 2=full remission hypomanic, 3=partial remission manic, 4=full remission manic, 5=partial remission depressed, 6=full remission depressed, 7=partial remission mixed, 8=full remission mixed</i>
F31.81	Bipolar II disorder
F31.89	Other bipolar disorder (recurrent manic episodes NOS)
F31.9	Bipolar disorder, unspecified
Anxiety, Dissociative & Somatoform Disorders:	
F40.00	Agoraphobia, unspecified
F40.10	Social phobia, unspecified
F40.2-	Specific (isolated) phobias
	<i>Add 5th and 6th character to identify the specific type of (isolated) phobias</i>
F40.8	Other phobic anxiety disorders
F40.9	Phobic anxiety disorder, unspecified
F41.0	Panic disorder [episodic paroxysmal anxiety] (panic attack, panic state)
F41.1	Generalized anxiety disorder
F41.3	Other mixed anxiety disorders
F41.8	Other specified anxiety disorders
F41.9	Anxiety disorder, unspecified (anxiety NOS)
F42.-	Obsessive-compulsive disorder
	<i>Add a 4th character to identify specific disorder: 2=mixed obsessional thoughts and acts, 3=hoarding disorder, 4=excoriation disorder, 8=other, 9=unspecified</i>
F43.0	Acute stress reaction
F43.1-	Post-traumatic stress disorder (PTSD)
	<i>Add 5th character: 0=unspecified, 1=acute, 2=chronic</i>
F43.2-	Adjustment disorders
	<i>Add 5th character: 0=unspecified, 1=depressed mood, 2=anxiety, 3=mixed anxiety and depressed mood, 4=disturbance of conduct, 5=mixed disturbance of emotions and conduct, 9=with other symptoms</i>
F43.8	Other reactions to severe stress
F43.9	Reaction to severe stress, unspecified
F44.-	Dissociative and conversion disorders
	<i>Add 4th character: 0=amnesia, 1=fugue, 2=stupor, 4=motor symptom or deficit, 5=seizures or convulsions, 6=sensory symptom or deficit, 7=mixed symptom presentation</i>
F44.81	Dissociative identity disorder
F44.89	Other dissociative and conversion disorders
F44.9	Dissociative and conversion disorder, unspecified
F45.0	Somatization disorder
F45.1	Undifferentiated somatoform disorder
F45.2-	Hypochondriacal disorders
	<i>Add 5th character to specify the type as: 0=unspecified, 1=hypochondriasis, 2=body dysmorphic disorder, 9=other</i>
F45.41	Pain disorder exclusively related to psychological factors
F45.42	Pain disorder with related psychological factors
	<i>Code also associated acute or chronic pain (G89.-)</i>
F60.0	Paranoid personality disorder
F60.2	Antisocial personality disorder
F60.3	Borderline personality disorder
F60.4	Histrionic (hysterical) personality disorder
F60.5	Obsessive-compulsive personality disorder
F60.6	Avoidant personality disorder
F60.7	Dependent personality disorder
F60.9	Personality disorder, unspecified
Alcohol and Substance Use Disorder:	
	<i>History of alcohol/substance use disorder, is coded as in remission</i>
F10.13- +	Alcohol abuse with withdrawal
	<i>Add 5th character: 0=uncomplicated, 1=delirium, 2=perceptual disturbance, 9=unspecified</i>
F10.20	Alcohol dependence, uncomplicated
F10.21	Alcohol dependence, in remission (early or sustained)
F10.22-	Alcohol dependence with intoxication
	<i>Add 6th character: 0=uncomplicated, 1=delirium, 9=unspecified</i>
F10.23-	Alcohol dependence with withdrawal
	<i>Add 6th character: 0=uncomplicated, 1=delirium, 2=perceptual disturbance, 9=unspecified</i>
F10.24	Alcohol dependence with alcohol-induced mood disorder
F10.25-	Alcohol dependence with alcohol-induced psychotic disorder
	<i>Add 6th character: 0=delusions, 1=hallucinations, 9=unspecified</i>
F10.26	Alcohol dependence with alcohol-induced persisting amnesic disorder
F10.27	Alcohol dependence with alcohol-induced persisting dementia
F10.28-	Alcohol dependence with other alcohol-induced disorders
	<i>Add 6th character: 0=anxiety disorder, 1=sexual dysfunction, 2=sleep disorder, 8=other alcohol-induced disorder</i>
F10.29	Alcohol dependence with unspecified alcohol-induced disorder
F10.920	Alcohol use, unspecified with intoxication, uncomplicated
F10.93- +	Alcohol use with withdrawal
	<i>Add 5th character: 0=uncomplicated, 1=delirium, 2=perceptual disturbance, 9=unspecified</i>
F11.10	Opioid abuse, uncomplicated
F11.11	Opioid abuse, in remission (early or sustained)

F11.13	Opioid abuse with withdrawal
F12.13	Cannabis abuse with withdrawal
F13.13	Sedative, hypnotic or anxiolytic abuse with withdrawal
	Add 5th character: 0=uncomplicated, 1=delirium, 2=perceptual disturbance, 9=unspecified
F11.20	Opioid dependence, uncomplicated
F11.21	Opioid dependence, in remission (early or sustained)
F11.982	Opioid use, unspecified with opioid-induced sleep disorder
F12.20	Cannabis dependence, uncomplicated
F12.920	Cannabis use, unspecified with intoxication, uncomplicated
F12.93	Cannabis use, unspecified with withdrawal
F12.980	Cannabis use, unspecified with cannabis-induced anxiety disorder
F12.988	Cannabis use, unspecified with other cannabis-induced disorder (sleep disorder)
F13.10	Sedative, hypnotic, or anxiolytic abuse, uncomplicated
F13.20	Sedative, hypnotic, or anxiolytic dependence, uncomplicated
F17.2-	Nicotine dependence
	Add 5th character to identify the type of nicotine: 0=unspecified, 1=cigarettes, 2=chewing tobacco, 9=other tobacco product; Add 6th character to identify the status: 0=uncomplicated, 1=in remission, 3=withdrawal, 8=other nicotine-induced disorders, 9=unspecified nicotine-induced disorders
F19.13	Other psychoactive substance abuse with withdrawal
	Add 5th character: 0=uncomplicated, 1=delirium, 2=perceptual disturbance, 9=unspecified
F19.20	Other psychoactive substance dependence, uncomplicated
F19.21	Other psychoactive substance dependence, in remission (early or sustained)
U07.0	Vaping-related disorder
Z13.39	Encounter for screening for other mental health and behavioral disorders, including alcoholism
Musculoskeletal System	
Arthritis:	
	For codes M00.0- thru M00.8-: Add 5th character: 1=shoulder, 2=elbow, 3=wrist, 4=hand, 5=hip, 6=knee, 7=ankle & foot, 8=vertebrae, 9=polyarthritides Add 6th character: 1=right, 2=left, 9=unspecified
M00.0-	Staphylococcal arthritis and polyarthritides
	Use additional code (B95.61 - B95.8) to identify bacteria
M00.1-	Pneumococcal arthritis and polyarthritides
M00.2-	Other streptococcal arthritis and polyarthritides
	Use additional code (B95.0 - B95.2, B95.4 - B95.5) to identify bacterial agent
M00.8-	Arthritis and polyarthritides due to other bacteria
	Use additional code (B96) to identify bacteria
M00.9	Pyogenic arthritis, unspecified
M12.9	Arthropathy, unspecified
M14.8-	Arthropathy in other specified diseases classified elsewhere
	Add 5th character: 0=unspecified site, 1=shoulder, 2=elbow, 3=wrist, 4=hand, 5=hip, 6=knee, 7=ankle and foot, 8=vertebrae, 9=multiple sites Add 6th character: 1=right, 2=left, 9=unspecified
	Code first underlying disease
M05.-	Rheumatoid arthritis with rheumatoid factor
	Add 4th character to identify the manifestation: 0=Felty's syndrome, 1=lung disease, 2=vasculitis, 3=heart disease, 4=myopathy, 5=polyneuropathy, 6=involvement of other organs and systems, 7=rheumatoid factor without organ or systems involvement, 8=other with rheumatoid factor, 9=with rheumatoid factor, unspecified Add 5th character to identify site: 1=shoulder, 2=elbow, 3=wrist, 4=hand, 5=hip, 6=knee, 7=ankle & foot, 9=multiple sites Add 6th character to identify laterality: 1=right, 2=left, 9=unspecified
M06.4	Inflammatory polyarthropathy
M06.9	Rheumatoid arthritis, unspecified
L40.50	Arthropathic psoriasis, unspecified
A69.23	Arthritis due to Lyme disease
Osteoarthritis, Dorsopathies and Other Soft Tissue Disorders:	
M16.-	Osteoarthritis of hip
M17.-	Osteoarthritis of knee
M18.-	Osteoarthritis of first carpometacarpal joint
	M16.- - M18.-: Add 4th character to identify unilateral or bilateral, and underlying cause, if applicable Add 5th character to identify laterality, if applicable: 0=unspecified, 1=right, 2=left
M19.90	Unspecified osteoarthritis, unspecified site
M19.91	Primary osteoarthritis, unspecified site
M19.92	Post-traumatic osteoarthritis, unspecified site
M19.93	Secondary osteoarthritis, unspecified site
M51.3-	Other intervertebral disc degeneration
	Add 5th character: 4=thoracic, 5=thoracolumbar, 6=lumbar, 7=lumbosacral
M54.2	Cervicalgia
M54.30	Sciatica, unspecified side
M54.31	Sciatica, right side
M54.32	Sciatica, left side
M54.5	Low back pain
M54.89	Other dorsalgia
M54.9	Dorsalgia, unspecified (backache NOS, back pain NOS)
M35.3	Polymyalgia rheumatica
M60.-	Myositis
	Add 4th character to identify type: 0=infective, 1=interstitial, 2=foreign body granuloma of soft tissue, not elsewhere classified, 8=other Add 5th character: 0=unspecified site, 1=shoulder, 2=upper arm, 3=forearm, 4=hand, 5=thigh, 6=lower leg, 7=ankle and foot, 8=other site, 9=multiple sites Add 6th character to identify laterality, if applicable: 1=right, 2=left, 9=unspecified
M77.11	Lateral epicondylitis, right elbow
M77.12	Lateral epicondylitis, left elbow
M77.9	Enthesopathy, unspecified (bone spur NOS, capsulitis NOS, periartthritis NOS, tendinitis NOS)
M71.5-	Other bursitis, not elsewhere classified
	Add 5th character: 0=unspecified site, 2=elbow, 3=wrist, 4=hand, 5=hip, 6=knee, 7=ankle and foot, 8=other site Add 6th character to identify laterality, if applicable: 1=right, 2=left, 9=unspecified
M79.10	Myalgia, unspecified site
M79.7	Fibromyalgia
M80.0-	Age-related osteoporosis with current pathological fracture

	Add 5th character: 0=unspecified site, 1=shoulder, 2=elbow, 3=forearm, 4=hand, 5=femur, 6=lower leg, 7=ankle and foot, 8=vertebrae Add 6th character to identify laterality, if applicable: 1=right, 2=left, 9=unspecified Appropriate 7th character is to be added to each code from category M80: A=initial encounter for fracture, D=subsequent encounter for fracture with routine healing, G=subsequent encounter for fracture with delayed healing, K=subsequent encounter for fracture with nonunion, P=subsequent encounter for fracture with malunion, S=sequela
	Use additional code to identify major osseous defect, if applicable (M89.7-)
M81.0	Age-related osteoporosis without current pathological fracture
	Use additional code to identify: major osseous defect, if applicable (M89.7), personal history of (healed) osteoporosis fracture, if applicable (Z87.310)
Neoplasms	
Code to the specific type and site, if known	
	Category C16: Use additional code to identify alcohol abuse and dependence (F10.-)
C16.1	Malignant neoplasm of fundus of stomach
C16.2	Malignant neoplasm of body of stomach
C17.-	Malignant neoplasm of small intestine
	Add 4th character: 1=jejunum, 2=ileum, 3=Meckel's diverticulum, malignant, 8=overlapping sites of small intestine, 9=unspecified
C18.-	Malignant neoplasm of colon
	Add 4th character: 2=ascending, 4=transverse, 6=descending, 7=sigmoid, 8=overlapping sites of colon, 9=unspecified
C22.8	Malignant neoplasm of liver, primary, unspecified as to type
C25.9	Malignant neoplasm of pancreas, unspecified
	Use additional code to identify: alcohol abuse and dependence (F10.-), hepatitis B (B16.-, B18.0-B18.1), hepatitis C (B17.1-, B18.2)
C34.91	Malignant neoplasm of unspecified part of right bronchus or lung
C34.92	Malignant neoplasm of unspecified part of left bronchus or lung
	Category C34.-: Use additional code to identify exposure to environmental tobacco smoke (Z77.22), exposure to tobacco smoke in the perinatal period (P96.81), history of tobacco dependence (Z87.891), occupational exposure to environmental tobacco smoke (Z57.31), tobacco dependence (F17.-), tobacco use (Z72.0)
C43.9	Malignant melanoma of skin, unspecified
C44.90	Unspecified malignant neoplasm of skin, unspecified
C44.91	Basal cell carcinoma of skin, unspecified
C44.92	Squamous cell carcinoma of skin, unspecified
C44.99	Other specified malignant neoplasm of skin, unspecified
C50.-	Malignant neoplasm of breast
	Add 4th character: 0=nipple and areola, 1=central portion, 2=upper-inner quadrant, 3=lower-inner quadrant, 4=upper-outer quadrant, 5=lower-outer quadrant, 6=axillary tail, 8=overlapping sites, 9=unspecified site Add 5th character: 1=female, 2=male Add 6th character: 1=right, 2=left, 9=unspecified
	Use additional code to identify estrogen receptor status (Z17.0, Z17.1)
C61	Malignant neoplasm of prostate
	Use additional code to identify: hormone sensitivity status (Z19.1-Z19.2), rising PSA following treatment for malignant neoplasm of prostate (R97.21)
C64.1	Malignant neoplasm of right kidney, except renal pelvis
C64.2	Malignant neoplasm of left kidney, except renal pelvis
C67.9	Malignant neoplasm of bladder, unspecified
C78.00	Secondary malignant neoplasm of unspecified lung
C79.-	Secondary malignant neoplasm of unspecified kidney and renal pelvis
	Add 5th and 6th characters: 00=unspecified kidney and renal pelvis, 31=brain, 51=bone, 52=bone marrow, 81=breast, 82=genital organs, 89=other specified sites
C80.0	Disseminated malignant neoplasm, unspecified
C80.1	Malignant (primary) neoplasm, unspecified (cancer NOS)
C90.01	Multiple myeloma in remission
C90.02	Multiple myeloma in relapse
Neuroendocrine Tumors:	
C7A.00	Malignant carcinoid tumor of unspecified site
	Code also any associated multiple endocrine neoplasia [MEN] syndromes (E31.2-)
	Use additional code to identify any associated endocrine syndrome, such as: carcinoid syndrome (E34.0)
D3A.00	Benign carcinoid tumor of unspecified site
Nervous System	
G03.1	Chronic meningitis
G20	Parkinson's disease
G30.0	Alzheimer's disease with early onset
G30.1	Alzheimer's disease with late onset
G30.8	Other Alzheimer's disease
G30.9	Alzheimer's disease, unspecified
	For category G30.-: Use additional code to identify: delirium, if applicable (F05), dementia with behavioral disturbance (F02.81), dementia without behavioral disturbance (F02.80)
G31.83	Dementia with Lewy bodies
	Use additional code to identify: dementia with behavioral disturbance (F02.81), dementia without behavioral disturbance (F02.80)
G31.84	Mild cognitive impairment, so stated (mild neurocognitive disorder)
R41.81	Age-related cognitive decline (senility NOS)
Chronic Pain:	
G35	Multiple sclerosis
G40.901	Epilepsy, unspecified, not intractable, with status epilepticus
G40.909	Epilepsy, unspecified, not intractable, without status epilepticus
G40.911	Epilepsy, unspecified, intractable, with status epilepticus
G40.919	Epilepsy, unspecified, intractable, without status epilepticus
G54.6	Phantom limb syndrome with pain
G54.7	Phantom limb syndrome without pain
G58.0	Intercostal neuropathy
G58.7	Mononeuritis multiplex
G58.8	Other specified mononeuropathies
G58.9	Mononeuropathy, unspecified

G60.9	Hereditary and idiopathic neuropathy, unspecified
G62.1	Alcoholic polyneuropathy
G89.29	Other chronic pain
G89.4	Chronic pain syndrome
	For category G89.-: Code also related psychological factors associated with pain (F45.42)
Sense Organs (Eye & Ear)	
Eye:	
H25.0-	Age-related incipient cataract
	Add 5th character: 1=cortical, 3=anterior subcapsular polar, 4=posterior subcapsular polar, 9=other Add 6th character: 1=right, 2=left, 3=bilateral, 9=unspecified
H25.1-	Age-related nuclear cataract
H25.2-	Age-related cataract, morgagnian type
	H25.1-, H25.2-: Add 5th character: 0=unspecified, 1=right, 2=left, 3=bilateral
H25.8-	Other age-related cataract
	Add 5th character: 1=combined forms, 9=other Add 6th character to H25.81-: 1=right, 2=left, 3=bilateral, 9=unspecified
H25.9	Unspecified age-related cataract
H26.8	Other specified cataract
H26.9	Unspecified cataract
H35.30	Unspecified (age-related) macular degeneration
H35.31-	Nonexudative age-related macular degeneration
H35.32-	Exudative age-related macular degeneration
H40.00-	Suspected glaucoma (preglaucoma), unspecified
	Add 6th character: 1=right, 2=left, 3=bilateral, 9=unspecified
H40.9	Unspecified glaucoma
H51.8	Other specified disorders of binocular movement
H51.9	Unspecified disorder of binocular movement
H52.0-	Hypermetropia
H52.1-	Myopia
	Add 5th character to H52.0-, H52.1-: 1=right, 2=left, 3=bilateral, 9=unspecified
H52.20-	Unspecified astigmatism
	Add 6th character: 1=right, 2=left, 3=bilateral, 9=unspecified
H52.4	Presbyopia
H53.00-	Unspecified amblyopia
	Add 6th character: 1=right, 2=left, 3=bilateral, 9=unspecified
H54.8	Legal blindness, NOS
H54.7	Unspecified visual loss
Ear:	
H66.9-	Otitis media, unspecified (otitis media [acute] [chronic] NOS)
	Add 5th character: 0=unspecified, 1=right ear, 2=left ear, 3=bilateral
H70.1-	Chronic mastoiditis
H71.9-	Unspecified cholesteatoma
H72.9-	Unspecified perforation of tympanic membrane
	H66.9-, H70.1-, H71.9-, H72.9-: Add 5th character to report laterality for the following subcategory codes: 0=unspecified ear, 1=right ear, 2=left ear, 3=bilateral ear
H73.82-	Atrophic nonflaccid tympanic membrane
H81.0-	Ménière's disease
H93.1-	Tinnitus
	H73.82-, H81.0-, H93.1-: Add 5th or 6th character: 1=right, 2=left, 3=bilateral, 9=unspecified
H92.1-	Otorrhea
H91.9-	Unspecified hearing loss (deafness NOS)
	H91.9-, H92.1-: Add 5th character: 0=unspecified, 1=right, 2=left, 3=bilateral
Respiratory System	
	Use additional code to identify: exposure to environmental tobacco smoke (Z77.22), exposure to tobacco smoke in the perinatal period (P96.81), history of tobacco dependence (Z87.891), occupational exposure to environmental tobacco smoke (Z57.31), tobacco dependence (F17.-), tobacco use (Z72.0)
I27.20	Pulmonary hypertension, unspecified
J12.89	Other viral pneumonia
J20.8	Acute bronchitis due to other specified organisms
J22	Unspecified acute lower respiratory infection
J31.0	Chronic rhinitis
J32.-	Chronic sinusitis
	Add 4th character: 0=maxillary, 1=frontal, 2=ethmoidal, 3=sphenoidal, 4=pansinusitis, 8=other, 9=unspecified
J40	Bronchitis, not specified as acute or chronic
J41.0	Simple chronic bronchitis (smoker's cough)
J42	Unspecified chronic bronchitis (chronic bronchitis NOS)
J43.-	Emphysema
	Add 4th character: 0=unilateral pulmonary, 1=panlobular, 2=centrilobular, 8=other, 9=unspecified
J44.0	Chronic obstructive pulmonary disease with (acute) lower respiratory infection (COPD with acute bronchitis)
	Code also to identify the infection
J44.1	Chronic obstructive pulmonary disease with (acute) exacerbation
J44.9	Chronic obstructive pulmonary disease, unspecified (chronic obstructive airway disease NOS, chronic obstructive lung disease NOS)
	J44.0-J44.9: Code also type of asthma, if applicable (J45.-)
J45.-	Asthma (allergic asthma, allergic bronchitis NOS, allergic rhinitis with asthma, atopic asthma, extrinsic allergic asthma, hay fever with asthma, idiopathic asthma, intrinsic nonallergic asthma, nonallergic asthma)
	Add 4th character: 2=mild intermittent, 3=mild persistent, 4=moderate persistent, 5=severe persistent, 9=other and unspecified Add 5th character: 0=uncomplicated, 1= (acute) exacerbation, 2=status asthmaticus
J45.90-	Unspecified asthma
	Add 6th character: 1=exacerbation, 2=status asthmaticus, 9=uncomplicated
J45.99-	Other asthma
	Add 6th character: 0=exercise induced bronchospasm, 1=cough variant, 8=other
J47.-	Bronchiectasis
	Add 4th character: 0=acute lower respiratory infection (bronchiectasis with acute bronchitis), 1=(acute) exacerbation, 9=uncomplicated
J67.-	Hypersensitivity pneumonitis due to organic dust
	Add 4th character: 0=farmer's lung, 1=bagassosis, 2=bird fancier's lung, 3=suberosis, 4=maltworker's lung, 5=mushroom-worker's lung, 6=maple-bark-stripper's lung, 7=air conditioner and humidifier lung, 8=due to other organic dusts, 9=due to unspecified organic dust

J80	Acute respiratory distress syndrome
J84.10	Pulmonary fibrosis, unspecified (chronic fibrosis of lung NOS, postinflammatory pulmonary fibrosis)
J84.112	Idiopathic pulmonary fibrosis
J96.10	Chronic respiratory failure, unspecified whether with hypoxia or hypercapnia
J98.8	Other specified respiratory disorders
J99	Respiratory disorders in disease classified elsewhere
	<i>Code first underlying disease, such as amyloidosis (E85.-)</i>
R05	Cough
R06.02	Shortness of breath
R50.9	Fever, unspecified
Skin and Subcutaneous Tissue	
	<i>Add 5th character for all L02.- codes: 1=cutaneous abscess, 2=furuncle, 3=carbuncle</i>
L02.0-	Cutaneous abscess, furuncle and carbuncle of face
L02.1-	Cutaneous abscess, furuncle and carbuncle of neck
L02.2-	Cutaneous abscess, furuncle and carbuncle of trunk
	<i>Add 6th character: 1=abdominal wall, 2=back [any part, except buttock], 3=chest wall, 4=groin, 5=perineum, 6=umbilicus, 9=unspecified</i>
L02.3-	Cutaneous abscess, furuncle and carbuncle of buttock
L02.4-	Cutaneous abscess, furuncle and carbuncle of limb
	<i>Add 6th character: 1=right axilla, 2=left axilla, 3=right upper, 4=left upper, 5=right lower, 6=left lower, 9=unspecified</i>
L02.5-	Cutaneous abscess, furuncle and carbuncle of hand
	<i>Add 6th character: 1=right, 2=left, 9=unspecified</i>
L02.6-	Cutaneous abscess, furuncle and carbuncle of foot
	<i>Add 6th character: 1=right, 2=left, 9=unspecified</i>
L02.8-	Cutaneous abscess, furuncle and carbuncle of other sites
	<i>Add 6th character: 1=head [any part, except face], 8=other sites</i>
L02.9-	Cutaneous abscess, furuncle and carbuncle, unspecified
	<i>L02.-: Use additional code to identify organism (B95-B96)</i>
L03.01-, L03.03-	<i>Add 6th character: 1=right, 2=left, 9=unspecified</i>
L03.01-	Cellulitis of finger
L03.03-	Cellulitis of toe
L03.11-	Cellulitis of other parts of limb
	<i>Add 6th character: 1=right axilla, 2=left axilla, 3=right upper, 4=left upper, 5=right lower, 6=left lower, 9=unspecified part</i>
L03.211	Cellulitis of face
L03.221	Cellulitis of neck
L03.31-	Cellulitis of trunk
	<i>Add 6th character: 1=abdominal wall, 2=back, 3=chest wall, 4=groin, 5=perineum, 6=umbilicus, 7=buttock, 9=unspecified</i>
L03.811	Cellulitis of head [any part, except face]
L03.818	Cellulitis of other sites
L03.90	Cellulitis, unspecified
L25.-	Unspecified contact dermatitis
	<i>Add 4th character: 0=due to cosmetics, 1=due to drugs in contact with skin, 2=due to dyes, 3=due to other chemical products, 4=due to food in contact with skin, 5=due to plants, except food, 8=due to other agents, 9=unspecified cause</i>
	<i>Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)</i>
L40.5-	Arthropathic psoriasis
	<i>Add 5th character: 0=unspecified, 1=distal interphalangeal, 2=mutilans, 3=spondylitis, 4=juvenile, 9=other</i>
L40.9	Psoriasis, unspecified
L50.-	Urticaria
	<i>Add 4th character: 0=allergic, 1=idiopathic, 2=due to cold and heat, 3=dermatographic, 4=vibratory, 5=cholinergic, 6=contact, 8=other, 9=unspecified</i>
L71.-	Rosacea
	<i>Add 4th character: 0=perioral dermatitis, 1=rhinophyma, 8=other, 9=unspecified</i>
	<i>Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)</i>
L82.1	Other seborrheic keratosis
L97.-	Non-pressure chronic ulcer of lower limbs, not elsewhere classified
	<i>Add 4th character: 1=thigh, 2=calf, 3=ankle, 4=heel and midfoot, 5=other part of foot, 8=other part of lower leg, 9=unspecified part of lower leg</i>
	<i>Add 5th character: 0=unspecified, 1=right, 2=left</i>
	<i>Add 6th character: 1=limited to breakdown of skin, 2=with fat layer exposed, 3=necrosis of muscle, 4=necrosis of bone, 5=muscle involvement w/o evidence of necrosis, 6=bone involvement without evidence of necrosis, 8=other specified severity, 9=unspecified severity</i>
	<i>Code first any associated underlying condition and/or any associated gangrene (I96)</i>
L98.4-	Non-pressure chronic ulcer of skin, not elsewhere classified (chronic ulcer skin NOS)
	<i>Add 5th character: 1=buttock, 2=back, 9=skin of other sites</i>
	<i>Add 6th character: 1=limited to breakdown of skin, 2=fat layer exposed, 3=with necrosis of muscle, 4=necrosis of bone, 5=muscle involvement w/o evidence of necrosis, 6=bone involvement w/o evidence of necrosis, 7=other specified severity, 9=unspecified severity</i>

Z Codes	
BMI: (BMI adult codes are for use for persons 20 years of age or older)	
	<i>Code first the associated condition, such as overweight, obese, morbidly obese, protein-calorie malnutrition</i>
Partial listing of BMI codes:	
Z68.1	Body mass index (BMI) 19.9 or less, adult
Z68.41	Body mass index (BMI) 40.0-44.9, adult
Z68.42	Body mass index (BMI) 45.0-49.9, adult
Z68.43	Body mass index (BMI) 50.0-59.9, adult
Z68.44	Body mass index (BMI) 60.0-69.9, adult
Z68.45	Body mass index (BMI) 70 or greater, adult
Equipment Dependence:	
Z99.81	Dependence on supplemental oxygen
Z99.3	Dependence on wheelchair
	<i>Code first cause of dependence, such as muscular dystrophy (G71.0-) or obesity (E66.-)</i>
Tobacco Use/History:	
Z72.0	Tobacco use
Z87.891	Personal history of nicotine dependence
Long-Term (Current) Drug Therapy:	
Z79.01	Long-term (current) use of anticoagulants
Z79.02	Long-term (current) use of antithrombotic/antiplatelets
Z79.1	Long-term (current) use of non-steroidal anti-inflammatories (NSAID)
Z79.2	Long-term (current) use of antibiotics
Z79.4	Long-term (current) use of insulin
Z79.51-	Long-term (current) use of inhaled steroids
Z79.52	Long-term (current) use of systemic steroids
Z79.82	Long-term (current) use of aspirin
Z79.899	Other long term (current) drug therapy
Renal Dialysis:	
Z99.2	Dependence on renal dialysis
Z91.15	Patient's noncompliance with renal dialysis
Status, Amputee:	
Z89.9	Acquired absence of limb, unspecified
Z89.41- thru Z89.62-	<i>Add 6th character to report laterality for the following subcategory codes: 1=right, 2=left, 9=unspecified</i>
Z89.41-	Acquired absence of great toe
Z89.42-	Acquired absence of other toe(s)
Z89.43-	Acquired absence of foot
Z89.44-	Acquired absence of ankle
Z89.51-	Acquired absence of leg below knee
Z89.52-	Acquired absence of knee
Z89.61-	Acquired absence of leg above knee
Z89.62-	Acquired absence of hip
Status, Cardiac:	
Z86.73	Personal history of transient ischemic attack (TIA), and cerebral infarction without residual deficits (status PCTA)
Z95.0	Presence of cardiac pacemaker
Z95.1	Presence of aortic coronary bypass graft
Z95.2	Presence of prosthetic heart valve (presence of heart valve NOS)
Z95.5	Presence of coronary angioplasty implant and graft
Z95.810	Presence of automatic (implantable) cardiac defibrillator
Z95.811	Presence of heart assist device
Z95.820	Peripheral vascular angioplasty status with implants and grafts
Z95.828	Presence of other vascular implants and grafts
Z98.61	Coronary angioplasty status
Z98.62	Peripheral vascular angioplasty status
Status, Ostomy:	
Z93.0	Tracheostomy status
Z93.1	Gastrostomy status
Z93.2	Ileostomy status
Z93.3	Colostomy status
Z93.4	Other artificial openings of gastrointestinal tract status
Z93.50	Unspecified cystostomy status
Z93.51	Cutaneous-vesicostomy status
Z93.52	Appendico-vesicostomy status
Z93.59	Other cystostomy status
Z93.6	Other artificial openings of urinary tract status
Z93.8	Other artificial opening status
Status, Transplant:	
Z94.0	Kidney transplant status
Z94.1	Heart transplant status
Z94.2	Lung transplant status
Z94.3	Heart and lungs transplant status
Z94.4	Liver transplant status
Z94.81	Bone marrow transplant status
Z94.82	Intestine transplant status
Z94.83	Pancreas transplant status
Z94.84	Stem cells transplant status
Status, Other and Contact with Health Services:	
Z03.818	Encounter for observation for suspected exposure to other biological agents ruled out
Z11.59	Encounter for screening for other viral diseases (for individuals who are being screened due to a possible or actual exposure to COVID-19)
Z13.30	Encounter for screening examination for mental health and behavioral disorders, unspecified
Z13.31	Encounter for screening for depression

Z13.39	Encounter for screening examination for other mental health and behavioral disorders, including alcoholism and intellectual disabilities
Z20.828	Contact with and (suspected) exposure to other viral communicable diseases
Z55.0	Illiteracy and low-level literacy
Z55.1	Schooling unavailable and unattainable
Z55.8	Other problems related to education and literacy
Z55.9	Problems related to education and literacy, unspecified
Z56.0	Unemployment, unspecified
Z56.1	Change of job
Z56.2	Threat of job loss
Z56.3	Stressful work schedule
Z56.4	Discord with boss and workmates
Z56.5	Uncongenial work environment (difficult conditions at work)
Z56.6	Other physical and mental strain related to work
Z56.81	Sexual harassment on the job
Z56.89	Other problems related to employment
Z56.9	Unspecified problems related to employment
Z59.0	Homelessness
Z59.1	Inadequate housing (lack of heating, restriction of space, technical defects in home preventing adequate care, unsatisfactory surroundings)
Z59.2	Discord with neighbors, lodgers and landlord
Z59.3	Problems related to living in residential institution (boarding-school resident)
Z59.4	Lack of adequate food and safe drinking water
Z59.5	Extreme poverty
Z59.6	Low income
Z59.7	Insufficient social insurance and welfare support
Z59.8	Other problems related to housing and economic circumstances (isolated dwelling, foreclosure on loan, problems with creditors)
Z59.9	Problems related to housing and economic circumstances, unspecified
Z60.0	Problems of adjustment to life-cycle transitions (empty nest syndrome, phase of life problem, problem with adjustment to retirement)
Z60.2	Problems related to living alone
Z60.3	Acculturation difficulty
Z60.4	Social exclusion and rejection
Z60.5	Target of (perceived) adverse discrimination and persecution
Z60.8	Other problems related to social environment
Z60.9	Problems related to social environment, unspecified
Z63.0	Problems in relationship with spouse or partner
Z63.1	Problems in relationship with in-laws
Z63.32	Other absence of family member
Z63.4	Disappearance and death of family member (bereavement)
Z63.5	Disruption of family by separation and divorce
Z63.6	Dependent relative needing care at home
Z63.72	Alcoholism and drug addiction in family
Z63.79	Other stressful life events affecting family and household
Z63.8	Other specified problems related to primary support group
Z63.9	Problems related to primary support group (relationship disorder)
Z65.9	Problem related to unspecified psychosocial circumstances
Z66	Do not resuscitate (DNR status)
Z72.3	Lack of physical exercise
Z72.4	Inappropriate diet and eating habits
Z72.6	Gambling and betting
Z72.811	Adult antisocial behavior
Z72.820	Sleep deprivation
Z72.821	Inadequate sleep hygiene
Z72.89	Other problems related to lifestyle (self-damaging behavior)
Z75.3	Unavailability and inaccessibility of health care facilities
Z78.9	Other specified health status (patient has living will in place)

Per the ICD-10-CM Official Guidelines for Coding and Reporting FY 2021: "A dash (-) at the end of an alphabetic index entry indicates that additional characters are required. Even if a dash is not included at the alphabetic index entry, it is necessary to refer to the tabular list to verify that no 7th character is required." The bolding of the ICD-10-CM codes represents categories, subcategories or codes that map to the CMS-HCC risk adjustment model for payment year 2021: [cms.gov/Medicare/Health-Plans/MedicareAdvtgSpecRateStats/Risk-Adjustors](https://www.cms.gov/Medicare/Health-Plans/MedicareAdvtgSpecRateStats/Risk-Adjustors).

Codes marked with a **+** directly after them represent new additions to the FY 2021 ICD-10-CM code classification.

Optum360 ICD-10-CM: Professional for Physicians 2021. Salt Lake City, UT: 2020.



11000 Optum Circle, Eden Prairie, MN 55344

This guidance is to be used for easy reference; however, the current ICD-10-CM code classification and the Official Guidelines for Coding and Reporting are the authoritative references for accurate and complete coding. The information presented herein is for general informational purposes only. Neither Optum nor its affiliates warrant or represent that the information contained herein is complete, accurate or free from defects. Specific documentation is reflective of the "thought process" of the provider when treating patients. All conditions affecting the care, treatment or management of the patient should be documented with their status and treatment, and coded to the highest level of specificity. Enhanced precision and accuracy in the codes selected is the ultimate goal. Lastly, on April 6, 2020, the Centers for Medicare & Medicaid Services (CMS) announced that 2020 dates of service for the 2021 payment year model are based on the Centers for Medicare & Medicaid Services Announcement. [cms.gov/files/document/2021-announcement.pdf](https://www.cms.gov/files/document/2021-announcement.pdf).

Optum® is a registered trademark of Optum, Inc. in the U.S. and other jurisdictions. All other brand or product names are the property of their respective owners. This document is proprietary and confidential; altering, rebranding, public posting and/or digital downloading is not permitted without the express consent of Optum. Because we are continuously improving our products and services, Optum reserves the right to change specifications without prior notice. Optum is an equal opportunity employer.

© 2021 Optum, Inc. All rights reserved • Revised 02/18/2021 • RQNS0116